


Solder Equipment

N5BRG


May 6, 2023 Virtual Meeting


Wavelab 24GHz






DK4XP Power Regulator From Dubus






WWW.NTMS.ORG


DK4XP 70 cm XVTR

















Weller Pencil Soldering Iron







Large Tip Iron






Small Soldering Iron







Medium Size Iron






Iron Controller 3 Iron types (Old Model)






W5HN


Walmart Hot Plate





Solder - 60/40 Tin Lead 0.10" and .015" Diameter Most Important for SMD parts.






.015" Mouser #910-SMD2SW015100G

WWW.NTMS.ORG

Solder Wick Use small solder wick






1.5 mm Mouser 910-SOLDERWICK1.5 2.0 mm Mouser 910-SOLDERWICK2.0

WWW.NTMS.ORG

Solder Flux and Clean Stick Help to solder and holds part in position till heated






15g Mouser 910-SMD291AX


WWW.NTMS.ORG

W5HN

15


Iron Stand with wet sponge Keep iron clean





W5HN


PCB Clean Up Isopropyl week and leaves white residue but cheep





WWW.NTMS.ORG

MSL Rating



Plastic Package Can absorb water!

W5HN

Rapid heating can Convert water to Steam and Pop-Corn Package.

MSL rating defines sensitive 1-5, 5 most sensitive

If unsure bake your parts at 70 C 158 F for 2 hours.

